

July 2024



OFFICE FURNITURE



PEDESTAL FILES

QUALITY STANDARD FEATURES

- Full-extension, ball-bearing drawer slides with quick disconnect and anti-rebound features
- Double-wall drawer fronts with sound-absorption material
- Drawer bodies with double-wall sides
- Pre-installed counterweights in all freestanding and mobile pedestal files
- Leveling glides with 1" adjustability in all standard work surface supporting and freestanding pedestal files
- Cabinets meet or exceed ANSI-BIFMA standards for safety and reliability

VERSATILITY

- Four standard styles: work surface supporting, freestanding, mobile, and hanging
- Various drawer configurations
- Three standard depths (18", 22" and 28") and several standard heights

COMPATIBILITY

- Work surface supporting pedestal files can be aligned horizontally with Metal Arc's 2-high lateral files and storage cabinets, allowing the products to be used side-by-side under a work surface.

OPTIONAL ACCESSORIES

- Pencil trays
- Box drawer dividers
- Hanging bars for side-to-side filing in file drawers
- Additional pulls for mobile pedestal files (for easier transport)



Standard 15” Wide Pedestal Files

Work Surface Supporting Pedestal Files

- Top channels attach to underside of work surface



Box/Box/File (BBF)



File/File (FF)



4 Box Dwr (BBBB)

Product No.	H	W	D	Pkg Wt	
PWS27h18d-BBF	27-½	15	18	55 lbs	
PWS27h18d-FF	27-½	15	18	50 lbs	
PWS27h18d-BBBB	27-½	15	18	60 lbs	
PWS27h22d-BBF	27-½	15	22	61 lbs	
PWS27h22d-FF	27-½	15	22	56 lbs	
PWS27h22d-BBBB	27-½	15	22	66 lbs	
PWS27h28d-BBF	27-½	15	28	70 lbs	
PWS27h28d-FF	27-½	15	28	64 lbs	
PWS27h28d-BBBB	27-½	15	28	76 lbs	

Freestanding Pedestal Files

- Solid top and counterweight included



Box/Box/File (BBF)



File/File (FF)



4 Box Dwr (BBBB)

Product No.	H	W	D	Pkg Wt	
PFS27h18d-BBF	27-½	15	18	75 lbs	
PFS27h18d-FF	27-½	15	18	71 lbs	
PFS27h18d-BBBB	27-½	15	18	80 lbs	
PFS27h22d-BBF	27-½	15	22	83 lbs	
PFS27h22d-FF	27-½	15	22	77 lbs	
PFS27h22d-BBBB	27-½	15	22	89 lbs	
PFS27h28d-BBF	27-½	15	28	93 lbs	
PFS27h28d-FF	27-½	15	28	86 lbs	
PFS27h28d-BBBB	27-½	15	28	100 lbs	

Mobile Pedestal Files – 27” High

- Includes 4 black plastic casters - 2 locking, 2 non-locking (casters ship detached)
- Solid top and counterweight included
- Fits under most standard-height desks



Box/Box/File (BBF)



File/File (FF)



4 Box Dwr (BBBB)

Product No.	H	W	D	Pkg Wt	
PMB27h18d-BBF	27- ⁵ / ₁₆	15	18	77 lbs	
PMB27h18d-FF	27- ⁵ / ₁₆	15	18	73 lbs	
PMB27h18d-BBBB	27- ⁵ / ₁₆	15	18	80 lbs	
PMB27h22d-BBF	27- ⁵ / ₁₆	15	22	84 lbs	
PMB27h22d-FF	27- ⁵ / ₁₆	15	22	79 lbs	
PMB27h22d-BBBB	27- ⁵ / ₁₆	15	22	89 lbs	
PMB27h28d-BBF	27- ⁵ / ₁₆	15	28	95 lbs	
PMB27h28d-FF	27- ⁵ / ₁₆	15	28	88 lbs	
PMB27h28d-BBBB	27- ⁵ / ₁₆	15	28	100 lbs	

Mobile Pedestal Files – 22” High

- Includes 4 black plastic casters - 2 locking, 2 non-locking (casters ship detached)
- Solid top and counterweight included



Box/File (BF)



Box/Box/Box (BBB)

Product No.	H	W	D	Pkg Wt	
PMB22h18d-BF	22- ³ / ₈	15	18	65 lbs	
PMB22h18d-BBB	22- ³ / ₈	15	18	69 lbs	
PMB22h22d-BF	22- ³ / ₈	15	22	70 lbs	
PMB22h22d-BBB	22- ³ / ₈	15	22	75 lbs	
PMB22h28d-BF	22- ³ / ₈	15	28	78 lbs	
PMB22h28d-BBB	22- ³ / ₈	15	28	84 lbs	

Cushion Top Mobile Pedestal Files – 24” High

- Includes counterweight and 4 black plastic casters - 2 locking, 2 non-locking (casters ship detached)
- Cushion tops may be ordered in any standard Metal Arc fabric. These fabrics may be viewed at <http://metalarcinc.com/office-furniture/options/fabrics-for-cushion-tops>.
- See page 65 for information on customer-provided fabrics.



Box/File (BF)



Box/Box/Box (BBB)

Product No.	H	W	D	Pkg Wt	
PCM24h18d-BF	24- ¹ / ₈	15	18	68 lbs	
PCM24h18d-BBB	24- ¹ / ₈	15	18	72 lbs	
PCM24h22d-BF	24- ¹ / ₈	15	22	73 lbs	
PCM24h22d-BBB	24- ¹ / ₈	15	22	78 lbs	

Hanging Pedestal Files – 25” High

- Mounting hardware included



Box/Box/File (BBF)



File/File (FF)

Product No.	H	W	D	Pkg Wt	
PHG25h18d-BBF	25- ⁵ / ₈	15	18	53 lbs	
PHG25h18d-FF	25- ⁵ / ₈	15	18	49 lbs	
PHG25h22d-BBF	25- ⁵ / ₈	15	22	60 lbs	
PHG25h22d-FF	25- ⁵ / ₈	15	22	54 lbs	

Hanging Pedestal Files – 19” High

- Mounting hardware included



Box/File (BF)



Box/Box/Box (BBB)

Product No.	H	W	D	Pkg Wt	
PHG19h18d-BF	19- ⁵ / ₈	15	18	41 lbs	
PHG19h18d-BBB	19- ⁵ / ₈	15	18	45 lbs	
PHG19h22d-BF	19- ⁵ / ₈	15	22	45 lbs	
PHG19h22d-BBB	19- ⁵ / ₈	15	22	51 lbs	

Hanging Pedestal Files – 13” High

- Mounting hardware included



Box/Box (BB)



File (F)

Product No.	H	W	D	Pkg Wt	
PHG13h18d-BB	13- ⁵ / ₈	15	18	33 lbs	
PHG13h18d-F	13- ⁵ / ₈	15	18	28 lbs	
PHG13h22d-BB	13- ⁵ / ₈	15	22	36 lbs	
PHG13h22d-F	13- ⁵ / ₈	15	22	31 lbs	

Hanging Pedestal Files – 7” High

- Mounting hardware included



Box (B)

Product No.	H	W	D	Pkg Wt	
PHG07h18d-B	7- ⁵ / ₈	15	18	22 lbs	
PHG07h22d-B	7- ⁵ / ₈	15	22	24 lbs	

Low-Height Freestanding Pedestal Files

Special low-height freestanding pedestal files are designed for use with lower work surfaces and adjustable-height tables. These special-height cabinets do not have a standard toe kick area. As a result, the drawers on these low-height pedestal files do not align horizontally with the drawers or doors on standard Metal Arc pedestal files, lateral files or storage cabinets.

26” High Freestanding Pedestal Files

- Solid top and counterweight included
- Includes leveling glides



Box/Box/File (BBF)



File/File (FF)

Product No.	H	W	D	Pkg Wt	
PFS26h18d-BBF	26- ¹ / ₈	15	18	75 lbs	
PFS26h18d-FF	26- ¹ / ₈	15	18	71 lbs	
PFS26h22d-BBF	26- ¹ / ₈	15	22	82 lbs	
PFS26h22d-FF	26- ¹ / ₈	15	22	77 lbs	

20” High Freestanding Pedestal Files

- Solid top and counterweight included
- Includes leveling glides



Box/File (BF)



Box/Box/Box (BBB)

Product No.	H	W	D	Pkg Wt	
PFS20h18d-BF	20- ¹ / ₈	15	18	63 lbs	
PFS20h18d-BBB	20- ¹ / ₈	15	18	67 lbs	
PFS20h22d-BF	20- ¹ / ₈	15	22	68 lbs	
PFS20h22d-BBB	20- ¹ / ₈	15	22	73 lbs	

10” Wide Mobile Pedestal Files

Special 10” wide mobile pedestal files provide an ideal solution for limited space workstations.

Metal Arc’s 10w mobile files come standard with side-to-side filing bars. Side-to-side filing of legal folders is possible in 22d files but is not possible in 18d files.

10w pedestal files are available with Full Pulls (Self Handled), Arc Pulls, Bar Pulls, Droop Pulls, Twist Pulls and Short Rod Pulls.

J Pulls, Aluminum Insert Pulls, Matching Pulls, and Long Rod Pulls are not available on 10w pedestal files.



10w Mobile Pedestal Files

- Includes 4 black plastic casters - 2 locking, 2 non-locking (casters ship detached)
- Solid top and counterweight included



Box/File (BF) with Full Pulls

Product No.	H	W	D	Pkg Wt	
PMB10w-22h18d-BF	22- ³ / ₈	10	18	50 lbs	
PMB10w-22h22d-BF	22- ³ / ₈	10	22	55 lbs	

10w Cushion Top Mobile Pedestal Files

- Includes counterweight and 4 black plastic casters - 2 locking, 2 non-locking (casters ship detached)
- Cushion tops may be ordered in any standard Metal Arc fabric. These fabrics may be viewed at <http://metalarcinc.com/office-furniture/options/fabrics-for-cushion-tops>.
- See page 65 for information on customer-provided fabrics.



Box/File (BF) with Bar Pulls

Product No.	H	W	D	Pkg Wt	
PCM10w-24h18d-BF	24- ¹ / ₈	10	18	54 lbs	
PCM10w-24h22d-BF	24- ¹ / ₈	10	22	59 lbs	

Pedestal File Options & Accessories

Pencil Trays for Standard 15w Peds



- Black plastic pencil trays feature four compartments for the storage of pencils, pens, paper clips, etc.

Factory Installed	
Product No.	
add “P” and the quantity desired as suffixes to the product number (e.g., “-P1”)	
Sold Separately	
Product No.	
PENTRAY	

Pencil Trays for Special 10w Peds



- Black plastic pencil trays feature three compartments for the storage of pencils, pens, paper clips, etc.

Factory Installed	
Product No.	
add “P” and the quantity desired as suffixes to the product number (e.g., “-P1”)	
Sold Separately	
Product No.	
PENTRAY 10W	

Box Drawer Dividers for Standard 15w Peds



- Black plastic dividers are used to compartmentalize pedestal box drawers.
- Available for 15w pedestal files only

Factory Installed	
Product No.	
add “D” and the quantity desired as suffixes to the product number (e.g., “-D2”)	
Sold Separately	
Product No.	
DIVIDER	

Hanging File Bars (for Side-to-Side Filing) for Standard 15w Peds



- Black plastic hanging file bars allow for side-to-side filing in file drawers.
- One pair is required per file drawer. Thus, a file/file ped would require two sets (“-H2”).
- **IMPORTANT:** Side-to-side filing of legal folders is not possible in 18d pedestal files.

Factory Installed	
Product No.	
add “H” and the quantity (pairs) desired as suffixes to the product number (e.g., “-H2”)	

Sold Separately (in pairs)	
Product No.	
HANGBARS	

Additional Pull Mounted to Lock Cover (for Mobile Pedestal Files)

- Allows for easier moving and storage of mobile pedestal files under a work surface
- Available on any size or style of mobile pedestal file
- Choice of Arc, Bar, Droop, Short Rod, or Twist Pulls
- Price upcharge
- To order, add one of the following suffixes to the end of the product number (e.g., PMB22h22d-BF-A-BU-P0-D0-H0-L-**LCA**):

- ✓ LCA (Arc Pull)
- ✓ LCB5 (Bar Pull)
- ✓ LCD (Droop Pull)
- ✓ LCO (Short Rod Pull)
- ✓ LCT (Twist Pull)



LCA (Arc Pull on Lock Cover)



LCB5 (Bar Pull on Lock Cover)



LCD (Droop Pull on Lock Cover)



LCO (Short Rod Pull on Lock Cover)



LCT (Twist Pull on Lock Cover)


Luggage-Style Tote Pull for Mobile Pedestal Files

- Not available on 10w mobile pedestal files
- Allows for easy transport of mobile pedestal files between workstations
- Steel tube construction with foam cushion grip
- Handle stows behind the pedestal file
- Price upcharge
- To order, add the suffix “TP” (for “Tote Pull”) to the end of the product number. Put the “TP” suffix last when ordering both a lock cover pull and a luggage-style tote pull on the same pedestal file (e.g., PMB22h22d-BF-A-AW-P0-D0-H0-U-LCA-**TP**).



Cushion Tops Sold Separately

- 1.5” high cushion with welt trim
- Convert any standard Metal Arc mobile or freestanding file into a cushion top file
- Includes hook & loop fasteners for easy installation onto an existing file with a steel top
- Cushion tops may be ordered in any standard Metal Arc fabric. These fabrics may be viewed at <http://metalarcinc.com/office-furniture/options/fabrics-for-cushion-tops>.
- See page 65 for information on customer-provided fabrics.



Product No.	H	W	D	
PEDCUSHION 15w18d	1-1/2	15	18	
PEDCUSHION 15w22d	1-1/2	15	22	
PEDCUSHION 10w18d	1-1/2	10	18	
PEDCUSHION 10w22d	1-1/2	10	22	

LATERAL FILES

QUALITY STANDARD FEATURES

- Full-extension, ball-bearing drawer slides
- Safety interlock system allows only one drawer to be opened at a time
- Drawer bodies with double-wall sides
- Leveling glides with 1” adjustability
- Two file bars in each drawer for side-to-side filing of letter, A4, or legal-sized file folders
- Cabinets meet or exceed ANSI-BIFMA standards for safety and reliability

COMPATIBILITY

- Horizontal alignment with Metal Arc’s storage cabinets and work surface supporting pedestal files

OPTIONAL ACCESSORIES

- Hanging file bars to accommodate front-to-back filing
- Counterweights for added stability in freestanding applications



Standard Lateral Files



OLF5hB with a Fixed Shelf



5X-OLF5hB with a Roll-Out Drawer

Product No.	H	W	D	Pkg Wt	
2-High Lateral Files					
OLF02h30w	27- ¹ / ₂	30	18	96 lbs	
OLF02h36w	27- ¹ / ₂	36	18	110 lbs	
OLF02h42w	27- ¹ / ₂	42	18	125 lbs	
3-High Lateral Files					
OLF03h30w	39- ¹ / ₂	30	18	130 lbs	
OLF03h36w	39- ¹ / ₂	36	18	150 lbs	
OLF03h42w	39- ¹ / ₂	42	18	175 lbs	
4-High Lateral Files					
OLF04h30w	51- ¹ / ₂	30	18	170 lbs	
OLF04h36w	51- ¹ / ₂	36	18	196 lbs	
OLF04h42w	51- ¹ / ₂	42	18	225 lbs	
5hB Lateral Files with a Fixed Shelf in the Top Position					
OLF5hB30w	67- ³ / ₈	30	18	200 lbs	
OLF5hB36w	67- ³ / ₈	36	18	230 lbs	
OLF5hB42w	67- ³ / ₈	42	18	260 lbs	
5hB Lateral Files with a Roll-Out Drawer in the Top Position					
5X-OLF5hB30w	67- ³ / ₈	30	18	210 lbs	
5X-OLF5hB36w	67- ³ / ₈	36	18	245 lbs	
5X-OLF5hB42w	67- ³ / ₈	42	18	275 lbs	



IMPORTANT: Unless noted otherwise, Metal Arc lateral files do not come standard with counterweights. For stability, counterweights are required for all heights and widths of lateral files unless the cabinet is to be anchored (to a wall or the floor) or ganged properly to another cabinet to prevent tipping. See page 17 for counterweight ordering information.

Storage Cabinet-Lateral File Combination Cabinets (“SLFs”)

- Note: **Counterweights** are included as standard on all SLFs since these cabinets are often used in freestanding applications.
- SLFs include two locks, keyed alike.
- J Pulls, Aluminum Insert Pulls, Matching Pulls, and Long Rod Pulls are not options for doors. When any of these pull options are chosen for the lateral drawer fronts, the cabinets will be built using Full Pulls (Self Handled) for the doors.

Product No.	H	W	D	Pkg Wt	
4-High SLFs					
SLF04h30w-2F	51- ¹ / ₂	30	18	185 lbs	
SLF04h36w-2F	51- ¹ / ₂	36	18	200 lbs	
SLF04h42w-2F	51- ¹ / ₂	42	18	215 lbs	
5hB SLFs					
SLF5hB30w-2F	67- ³ / ₈	30	18	200 lbs	
SLF5hB36w-2F	67- ³ / ₈	36	18	215 lbs	
SLF5hB42w-2F	67- ³ / ₈	42	18	240 lbs	
SLF5hB30w-3F	67- ³ / ₈	30	18	210 lbs	
SLF5hB36w-3F	67- ³ / ₈	36	18	230 lbs	
SLF5hB42w-3F	67- ³ / ₈	42	18	255 lbs	



SLF04h __w-2F (51-¹/₂” tall)
one adjustable shelf



SLF5hB __w-2F (67-³/₈” tall)
two adjustable shelves



SLF5hB __w-3F (67-³/₈” tall)
one adjustable shelf

Bookcase-Lateral File Combination Cabinets (“BLFs”)

- Note: **Counterweights** are included as standard on all BLFs since these cabinets are often used in freestanding applications.

Product No.	H	W	D	Pkg Wt	
4-High BLFs					
BLF04h30w-2F	51- ¹ / ₂	30	18	175 lbs	
BLF04h36w-2F	51- ¹ / ₂	36	18	190 lbs	
BLF04h42w-2F	51- ¹ / ₂	42	18	205 lbs	
5hB BLFs					
BLF5hB30w-2F	68*	30	18	190 lbs	
BLF5hB36w-2F	68*	36	18	205 lbs	
BLF5hB42w-2F	68*	42	18	225 lbs	
BLF5hB30w-3F	68*	30	18	200 lbs	
BLF5hB36w-3F	68*	36	18	220 lbs	
BLF5hB42w-3F	68*	42	18	245 lbs	

* Note: 5hB BLFs may be ordered with a low-profile top that changes the height to 67 3/8” – thus matching the height of Metal Arc’s 5hB lateral files and storage cabinets. Email sales@metalarcinc.com for details.



BLF04h __w-2F (51-¹/₂” tall)
one adjustable shelf



BLF5hB __w-2F (68” tall)
two adjustable shelves



BLF5hB __w-3F (68” tall)
one adjustable shelf

Pedestal File-Lateral File Combination Cabinets (“Combo Centers”)

- New design for 2024
- Counterweights included as standard
- Finished steel top as standard
- May be used for either work surface supporting or freestanding applications

Product No.	H	W	D	Pkg Wt	
COMBO27h18d-BBF	27-1/2	30	18	110 lbs	
COMBO27h18d-FBB	27-1/2	30	18	110 lbs	
COMBO27h18d-FF	27-1/2	30	18	105 lbs	
COMBO27h18d-BBBB	27-1/2	30	18	115 lbs	

- Includes two file bars in the bottom drawer for side-to-side filing of letter, A4, or legal-sized file folders
- Optional front-to-back filing bars for the bottom (lateral file) drawer – see page 18
- Optional ped pencil trays for the 15w box drawers – see page 7 [Note: Although pencil trays for standard 15w pedestal files will fit in the box drawers of a Combo Center, ped box drawer dividers and ped hanging file bars will not work in Combo Centers.]



COMBO27h18d-BBF



COMBO27h18d-FBB



COMBO27h18d-FF



COMBO27h18d-BBBB

2-High Bookcase-Lateral File Combination Cabinets



Product No.	H	W	D	Pkg Wt	
BLF02h30w	27- ¹ / ₂	30	18	85 lbs	
BLF02h36w	27- ¹ / ₂	36	18	95 lbs	
BLF02h42w	27- ¹ / ₂	42	18	105 lbs	

- Shelf with 11-⁷/₈” opening for binder storage
- **IMPORTANT:** The bottom drawer on this cabinet does not align with standard lateral files, pedestal files, etc. It is lower relative to standard cabinets (shorter toe kick) to accommodate binder storage on the fixed shelf.
- Counterweights for 2-high lateral files must be added for freestanding applications to prevent tipping – see page 17.
- Special-order item – extended lead time

Lateral Files with Individual Locking Drawers (“OLFZs”)



OLFZ02h30w



Product No.	H	W	D	Pkg Wt	
2-High Lateral Files					
OLFZ02h30w	27- ¹ / ₂	30	18	99 lbs	
OLFZ02h36w	27- ¹ / ₂	36	18	113 lbs	
OLFZ02h42w	27- ¹ / ₂	42	18	128 lbs	
3-High Lateral Files					
OLFZ03h30w	39- ¹ / ₂	30	18	136 lbs	
OLFZ03h36w	39- ¹ / ₂	36	18	155 lbs	
OLFZ03h42w	39- ¹ / ₂	42	18	180 lbs	
4-High Lateral Files					
OLFZ04h30w	51- ¹ / ₂	30	18	190 lbs	
OLFZ04h36w	51- ¹ / ₂	36	18	210 lbs	
OLFZ04h42w	51- ¹ / ₂	42	18	250 lbs	
5hB Lateral Files with a Fixed Shelf in the Top Position					
OLFZ5hB30w	67- ³ / ₈	30	18	220 lbs.	
OLFZ5hB36w	67- ³ / ₈	36	18	253 lbs.	
OLFZ5hB42w	67- ³ / ₈	42	18	284 lbs.	
5hB Lateral Files with a Roll-Out Drawer in the Top Position					
5X-OLFZ5hB30w	67- ³ / ₈	30	18	230 lbs.	
5X-OLFZ5hB36w	67- ³ / ₈	36	18	268 lbs.	
5X-OLFZ5hB42w	67- ³ / ₈	42	18	299 lbs.	

- Steel security shelf between each drawer
- Each drawer keyed differently
- Counterweights must be added for freestanding applications to prevent tipping – see page 17.
- Special-order item – extended lead time

Lateral Files with 6” Drawers



OLF03h30w-6B



OLF03h30w-2B2F

Product No.	H	W	D	Pkg Wt	
2-High Lateral Files with (4) 6” Box Drawers					
OLF02h30w-4B	27- ¹ / ₂	30	18	105 lbs	
OLF02h36w-4B	27- ¹ / ₂	36	18	118 lbs	
OLF02h42w-4B	27- ¹ / ₂	42	18	133 lbs	
3-High Lateral Files with (6) 6” Box Drawers					
OLF03h30w-6B	39- ¹ / ₂	30	18	145 lbs	
OLF03h36w-6B	39- ¹ / ₂	36	18	162 lbs	
OLF03h42w-6B	39- ¹ / ₂	42	18	188 lbs	
4-High Lateral Files with (8) 6” Box Drawers					
OLF04h30w-8B	51- ¹ / ₂	30	18	190 lbs	
OLF04h36w-8B	51- ¹ / ₂	36	18	211 lbs	
OLF04h42w-8B	51- ¹ / ₂	42	18	242 lbs	

2-High Lateral Files with (2) 6” Box Drawers and (1) Standard 12” Drawer					
OLF02h30w-2B1F	27- ¹ / ₂	30	18	99 lbs	
OLF02h36w-2B1F	27- ¹ / ₂	36	18	113 lbs	
OLF02h42w-2B1F	27- ¹ / ₂	42	18	128 lbs	
3-High Lateral Files with (2) 6” Box Drawers and (2) Standard 12” Drawers					
OLF03h30w-2B2F	39- ¹ / ₂	30	18	134 lbs	
OLF03h36w-2B2F	39- ¹ / ₂	36	18	153 lbs	
OLF03h42w-2B2F	39- ¹ / ₂	42	18	178 lbs	
4-High Lateral Files with (2) 6” Box Drawers and (3) Standard 12” Drawers					
OLF04h30w-2B3F	51- ¹ / ₂	30	18	174 lbs	
OLF04h36w-2B3F	51- ¹ / ₂	36	18	199 lbs	
OLF04h42w-2B3F	51- ¹ / ₂	42	18	228 lbs	

- Special-order item – extended lead time

* **Counterweights:** Lateral files with only 6” drawers do not require counterweights. Lateral files with a combination of 6” and standard 12” drawers do require counterweights if they will be used in a freestanding application (*i.e.*, not anchored to a wall or ganged properly to another cabinet to prevent tipping).

Lateral File Options & Accessories

Counterweights

- Unless a lateral file is to be anchored to a wall or the ground, or anchored properly to another cabinet, a counterweight must be installed to ensure the unit's stability in accordance with ANSI-BIFMA standards.

Factory Installed		
Product No.		Weight
add "C" as a suffix to the product number		50 lbs
		50 lbs
		35 lbs
		35 lbs

Cushion Tops for Lateral Files

- 1.5" high cushion with welt trim
- Hook & loop fasteners for easy installation
- Cushion tops may be ordered in any standard Metal Arc fabric. These fabrics may be viewed at <http://metalarcinc.com/office-furniture/options/fabrics-for-cushion-tops>.
- See page 65 for information on customer-provided fabrics.

Product No.	H	W	D	
LATCUSHION 30w18d	1-1/2	30	18	
LATCUSHION 36w18d	1-1/2	36	18	
LATCUSHION 42w18d	1-1/2	42	18	



1.5-High, 2-High, and 3-High L-Fillers

- L-fillers are used to close the gap behind an 18" deep cabinet that has a 24" deep work surface on top.
- L-fillers are adjustable up to 1/2" in depth and come standard with attachment hardware.


Product No.	
LF22.125-5.75	
LF27.125-5.75	
LF39.125-5.75	



Pencil Trays for Lateral File Box Drawer



- Magnet on bottom of base keeps pencil tray firmly in place

Product No.	
OP-PENTRAY	



Hanging File Bars






Standard Side-to-Side Filing with Included Side-to-Side File Bars (all widths):

	
Side-to-Side Filing – Letter	Side-to-Side Filing – Legal
30w = 26-7/16" of filing	30w = 26-7/16" of filing
36w = 32-7/16" of filing	36w = 32-7/16" of filing
42w = 38-7/16" of filing	42w = 38-7/16" of filing

Optional Front-to-Back Filing with Front-to-Back Hanging File Bars:

One set of front-to-back file bars is needed for each lateral file drawer, regardless of width.

Factory Installed		Packaged and Sold Separately	
Product No.		Product No.	
add "H" and the quantity desired (one set per drawer) as suffixes to the product number		LATHGBARS	

		
30" Wide – Letter	36" Wide – Letter	36" Wide – Legal
30" of filing	30" of filing	30" of filing
		
42" Wide – Letter	42" Wide – Legal	
45" of filing	30" of filing	

BOOKCASES

QUALITY STANDARD FEATURES

- Side panels with double-wall construction
- Heavy-duty shelves adjustable in ½” increments
- Leveling glides with ¾” adjustability
- Cabinets meet or exceed ANSI-BIFMA standards for safety and reliability*

VERSATILITY

- Three standard widths and four standard heights
- Two standard depths: 14” and 17-1/8”

OPTIONAL ACCESSORY

- Magnetic shelf dividers (shown in photo below)

* **IMPORTANT:** To ensure back-to-front stability in accordance with ANSI-BIFMA standards, 14” deep bookcases must be placed against a wall or secured to prevent tipping.



Standard 14” Deep Bookcases



Product No.	H	W	D	Pkg Wt	
2-High Bookcases (one adjustable shelf)					
BKC02h30w	27- ¹ / ₂	30	14	50 lbs	
BKC02h36w	27- ¹ / ₂	36	14	56 lbs	
BKC02h42w	27- ¹ / ₂	42	14	62 lbs	
3-High Bookcases (two adjustable shelves)					
BKC03h30w	39- ¹ / ₂	30	14	65 lbs	
BKC03h36w	39- ¹ / ₂	36	14	73 lbs	
BKC03h42w	39- ¹ / ₂	42	14	81 lbs	
4-High Bookcases (three adjustable shelves)					
BKC04h30w	51- ¹ / ₂	30	14	85 lbs	
BKC04h36w	51- ¹ / ₂	36	14	95 lbs	
BKC04h42w	51- ¹ / ₂	42	14	105 lbs	
5hB Bookcases (four adjustable shelves)					
BKC5hB30w	68*	30	14	105 lbs	
BKC5hB36w	68*	36	14	115 lbs	
BKC5hB42w	68*	42	14	125 lbs	



2-High (27-¹/₂” tall)
one adjustable shelf



3-High (39-¹/₂” tall)
two adjustable shelves



4-High (51-¹/₂” tall)
three adjustable shelves



5hB (68” tall*)
four adjustable shelves

* Note: 5hB bookcases may be ordered with a low-profile top that changes the unit’s overall height to 67 3/8” – thus matching the height of Metal Arc’s 5hB lateral files and storage cabinets.

To substitute for a low-profile top (no additional charge), add the suffix “-LP” at the end of the product number, before the color code – for example, BKC5hB30w-**LP**-BU

Lateral-Depth Bookcases

- Special lateral-depth bookcases (“BKLDs”) are designed for use next to adjacent lateral files, 18” deep storage cabinets, and (when used under a work surface) work surface supporting pedestal files.
- The main body of a BKLD is 17- $\frac{1}{8}$ ” deep, the same as the body on a lateral file or 18” deep storage cabinet.
- BKLDs have special 18” deep tops that overhang the main body of the bookcase. These 18” deep tops allow BKLDs to align with adjacent lateral files, storage cabinets or pedestal files – see photo below.
- For use on a stand-alone basis, BKLDs may be ordered with a 17- $\frac{1}{8}$ ” deep top that does not overhang the front of the bookcase. Please email sales@metalarcinc.com for more information and ordering instructions.
- See page 23 for information on 1.5-high lateral-depth bookcases.
- Special-order item – extended lead time

Product No.	H	W	D	Pkg Wt	
2-High Lateral-Depth Bookcases (one adjustable shelf)					
BKLD02h30w	27- $\frac{1}{2}$	30	18	60 lbs	
BKLD02h36w	27- $\frac{1}{2}$	36	18	69 lbs	
BKLD02h42w	27- $\frac{1}{2}$	42	18	78 lbs	
3-High Lateral-Depth Bookcases (two adjustable shelves)					
BKLD03h30w	39- $\frac{1}{2}$	30	18	75 lbs	
BKLD03h36w	39- $\frac{1}{2}$	36	18	86 lbs	
BKLD03h42w	39- $\frac{1}{2}$	42	18	97 lbs	



BKLD02h36w shown next to a 2-high lateral file

Bookcase Accessories

Shelf Divider



Product No.	Pkg Wt	
SDIVIDER	5 lbs.	


- Black powder coat finish
- Magnet keeps divider in place



Additional Bookcase Shelves

Product No.	Pkg Wt	
BKCSHF 30w	7 lbs.	
BKCSHF 36w	8 lbs.	
BKCSHF 42w	9 lbs.	

Note: The same shelves are used for both standard 14d bookcases and special lateral-depth bookcases.



LOW-PROFILE LATERAL FILES AND BOOKCASES

1.5-High Lateral Files and Bookcases with Leveling Glides

1.5-High Box/File Lateral Files



Product No.	H	W	D	Pkg Wt	
OLF1.5h30w	21- ¹ / ₂	30	18	144 lbs	
OLF1.5h36w	21- ¹ / ₂	36	18	158 lbs	
OLF1.5h42w	21- ¹ / ₂	42	18	172 lbs	

- Counterweights included as standard for added stability
- Leveling glides with 1” adjustability
- Horizontal alignment with 1.5h bookcases
- Finished steel top
- Includes two file bars in the bottom drawer for side-to-side filing of letter, A4 or legal-sized file folders

1.5-High Bookcases



Product No.	H	W	D	Pkg Wt	
BKLD1.5h18w	21- ¹ / ₂	18	18	45 lbs	
BKLD1.5h24w	21- ¹ / ₂	24	18	50 lbs	
BKLD1.5h30w	21- ¹ / ₂	30	18	55 lbs	
BKLD1.5h36w	21- ¹ / ₂	36	18	63 lbs	
BKLD1.5h42w	21- ¹ / ₂	42	18	71 lbs	

- One adjustable shelf (adjustable in ¹/₂” increments)
- Leveling glides with 1” adjustability
- Horizontal alignment with 1.5h lateral files
- Finished steel top
- Optional 17-1/8” deep top for stand-alone applications



Open Plan Lateral Files and Bookcases on Legs or Casters

Metal Arc's Open Plan cabinets provide a contemporary alternative to standard 1.5h lateral files and bookcases.

Open Plan cabinets do not include a finished steel top. Rather, these cabinets are designed to be ganged together under a common top. Steel tops are available – see page 27 for details. Email sales@metalarcinc.com for laminate top options.

For ease of installation, all Open Plan cabinets come standard with re-closable fasteners on the top, thus eliminating the need for pre-drilled work surfaces.



Open Plan cabinets are available with two different leg styles: Square and Round.



Square Leg
textured silver finish



Round Leg
brushed stainless steel finish

To facilitate design flexibility, Open Plan cabinets and legs are ordered separately. For a stand-alone Open Plan cabinet, four legs are required. Where two Open Plan cabinets are placed side-by-side to make a credenza, however, only six legs are needed. The middle two legs can be used to gang the cabinets together as illustrated below. This provides a significant cost savings compared to using eight legs to make a credenza.



IMPORTANT: Open Plan cabinets are designed to be used with legs or casters. Open Plan cabinets will not function properly if placed directly onto a floor without any supporting legs or casters.

Open Plan Box-File Lateral Files – NO Finished Top



Product No.	H*	W	D	Pkg Wt	
OP-LAT30w	20	30	18	145 lbs	
OP-LAT36w	20	36	18	158 lbs	
OP-LAT42w	20	42	18	172 lbs	

* Height is for the cabinet only and does not include legs or a work surface.

- Counterweights included as standard for added stability
- Attaches to underside of work surface – finished top is not included
- Single lock secures both drawers
- Includes two file bars in the bottom drawer for side-to-side filing of letter, A4 or legal-sized file folders

Open Plan Bookcases – NO Finished Top



Product No.	H*	W	D	Pkg Wt	
OP-BK18w	20	18	17- ¹ / ₈	45 lbs	
OP-BK24w	20	24	17- ¹ / ₈	50 lbs	
OP-BK30w	20	30	17- ¹ / ₈	55 lbs	
OP-BK36w	20	36	17- ¹ / ₈	60 lbs	
OP-BK42w	20	42	17- ¹ / ₈	65 lbs	

* Height is for the cabinet only and does not include legs or a work surface.

- One height-adjustable shelf
- Includes cutouts for easy ganging to adjacent cabinets
- Attaches to underside of work surface – finished top is not included

Open Plan Bookcase-Lateral (“BLF”) Combo Cabinets – NO Finished Top



Product No.	H*	W	D	Pkg Wt	
OP-BLF30w	20	30	18	142 lbs	
OP-BLF36w	20	36	18	155 lbs	
OP-BLF42w	20	42	18	169 lbs	

* Height is for the cabinet only and does not include legs or a work surface.

- Counterweights included as standard for added stability
- Attaches to underside of work surface – finished top is not included
- Includes two file bars in the bottom drawer for side-to-side filing of letter, A4 or legal-sized file folders

Open Plan Legs, Casters, and Accessories

Square Legs Sold Separately



Product No.	
OP-SQLEG3.0	

- Legs are priced and sold individually
- Six legs are needed for two adjacent cabinets – four legs for the outside corners, and another two legs to gang the cabinets together
- Legs are made of 2” square tube and stand 3” tall with leveling glides fully recessed
- Leveling glides provide 1” of adjustability
- Standard finish is Textured Silver. Call or email for other color options



Round Legs Sold Separately



Product No.	
OP-RDLEG2.5	

- Legs are priced and sold individually
- Six legs are needed for two adjacent cabinets – four legs for the outside corners, and another two legs to gang the cabinets together
- Legs are made of stainless steel with a brushed finish
- Legs are adjustable between 2.5” and 3.5” in height



Casters



Product No.	
60 MM CASTERS – PKG OF 4	

- Any Open Plan cabinet can be made into a mobile cabinet by adding a set of four 60 mm black casters
- Casters ship separately for field installation
- Each package contains two locking and two non-locking casters
- Casters are not available for 1.5h lateral files and bookcases

Steel Tops



Product No.	Pkg Wt	
Optional Steel Tops for Open Plan Cabinets		
OP-TOP 18w18d	6 lbs	
OP-TOP 24w18d	8 lbs	
OP-TOP 30w18d	9 lbs	
OP-TOP 36w18d	11 lbs	
OP-TOP 42w18d	12 lbs	
OP-TOP 48w18d	14 lbs	
OP-TOP 54w18d	16 lbs	
OP-TOP 60w18d	17 lbs	

- Steel tops are ¾” tall and are made of 18-gauge steel.
- Steel tops may be ordered in a contrasting paint color

Cushion Tops (Slim)




Product No.	
OP-Cush 24w18d	
OP-Cush 30w18d	
OP-Cush 36w18d	
OP-Cush 42w18d	
OP-Cush 48w18d	

- Tops are 1” tall and do not have a welt trim.
- For easy attachment, cushion tops come standard with re-closable fasteners.

Pencil Trays for Lateral File Box Drawer

- Magnet on base keeps pencil tray firmly in place

Product No.	
OP-PENTRAY	



STORAGE CABINETS

QUALITY STANDARD FEATURES

- Shelves adjustable in ½” increments
- Leveling glides with 1” adjustability
- Concealed hinges with easy-adjustment capability
- Cabinets meet or exceed ANSI-BIFMA standards for safety and reliability

VERSATILITY

- Four standard heights and five standard widths
- Two standard depths: 18” and 24”
- Choice of Full Pulls (Self Handled), Arc Pulls, Bar Pulls, Droop Pulls, Short Rod Pulls or Twist Pulls only*

COMPATIBILITY

- Horizontal alignment with Metal Arc’s standard lateral files and work surface supporting pedestal files

* Note: J Pulls, Aluminum Insert Pulls, Matching Pulls, and Long Rod Pulls are not available on storage cabinets.



Double-Door Storage Cabinets with Shelves



Product No.	H	W	D	Pkg Wt	
2-High Storage Cabinets (one adjustable shelf)					
STC02h30w	27- ¹ / ₂	30	18	78 lbs	
STC02h36w	27- ¹ / ₂	36	18	88 lbs	
STC02h42w	27- ¹ / ₂	42	18	99 lbs	
S2402h30w	27- ¹ / ₂	30	24	84 lbs	
S2402h36w	27- ¹ / ₂	36	24	94 lbs	
S2402h42w	27- ¹ / ₂	42	24	105 lbs	
3-High Storage Cabinets (two adjustable shelves)					
STC03h30w	39- ¹ / ₂	30	18	104 lbs	
STC03h36w	39- ¹ / ₂	36	18	117 lbs	
STC03h42w	39- ¹ / ₂	42	18	131 lbs	
S2403h30w	39- ¹ / ₂	30	24	111 lbs	
S2403h36w	39- ¹ / ₂	36	24	124 lbs	
S2403h42w	39- ¹ / ₂	42	24	138 lbs	
4-High Storage Cabinets (three adjustable shelves)					
STC04h30w	51- ¹ / ₂	30	18	131 lbs	
STC04h36w	51- ¹ / ₂	36	18	147 lbs	
STC04h42w	51- ¹ / ₂	42	18	164 lbs	
S2404h30w	51- ¹ / ₂	30	24	140 lbs	
S2404h36w	51- ¹ / ₂	36	24	156 lbs	
S2404h42w	51- ¹ / ₂	42	24	173 lbs	
5hB Storage Cabinets (four adjustable shelves)					
STC5hB30w	67- ³ / ₈	30	18	164 lbs	
STC5hB36w	67- ³ / ₈	36	18	184 lbs	
STC5hB42w	67- ³ / ₈	42	18	203 lbs	
S245hB30w	67- ³ / ₈	30	24	175 lbs	
S245hB36w	67- ³ / ₈	36	24	195 lbs	
S245hB42w	67- ³ / ₈	42	24	214 lbs	



2-High (27-¹/₂" tall)
one adjustable shelf



3-High (39-¹/₂" tall)
two adjustable shelves



4-High (51-¹/₂" tall)
three adjustable shelves



5hB (67-³/₈" tall)
four adjustable shelves

Double-Door Storage Cabinets with Coat Rods

- Includes one adjustable shelf with an attached coat rod



XSTC5hB36w

Product No.	H	W	D	Pkg Wt	
4-High Storage Cabinets with (1) Adjustable Shelf and Coat Rod					
XSTC04h30w	51- ¹ / ₂	30	18	116 lbs	
XSTC04h36w	51- ¹ / ₂	36	18	130 lbs	
XSTC04h42w	51- ¹ / ₂	42	18	145 lbs	
XS2404h30w	51- ¹ / ₂	30	24	126 lbs	
XS2404h36w	51- ¹ / ₂	36	24	140 lbs	
XS2404h42w	51- ¹ / ₂	42	24	155 lbs	
5hB Storage Cabinets with (1) Adjustable Shelf and Coat Rod					
XSTC5hB30w	67- ³ / ₈	30	18	145 lbs	
XSTC5hB36w	67- ³ / ₈	36	18	160 lbs	
XSTC5hB42w	67- ³ / ₈	42	18	175 lbs	
XS245hB30w	67- ³ / ₈	30	24	155 lbs	
XS245hB36w	67- ³ / ₈	36	24	175 lbs	
XS245hB42w	67- ³ / ₈	42	24	195 lbs	

Double-Door Storage Towers with Coat Rods and Shelves (“STWs”)

- Includes 9” wide wardrobe compartment with a coat rod
- RGT and LFT designate the side with the wardrobe
- Includes 4 adjustable-height shelves in the larger compartment
- Special-order item – extended lead time



STW5hB36w-18d-RGT

Product No.	H	W	D	Pkg Wt	
STW5hB36w-18d-LFT	67- ³ / ₈	36	18	193 lbs	
STW5hB36w-18d-RGT	67- ³ / ₈	36	18	193 lbs	

Single-Door Storage Cabinets with Shelves

- RGT and LFT designate the hinge side.



STC04h15w-LFT

Product No.	H	W	D	Pkg Wt	
4-High Storage Cabinets with 3 Adjustable Shelves					
STC04h15w-LFT	51- ¹ / ₂	15	18	83 lbs	
STC04h15w-RGT	51- ¹ / ₂	15	18	83 lbs	
STC04h18w-LFT	51- ¹ / ₂	18	18	90 lbs	
STC04h18w-RGT	51- ¹ / ₂	18	18	90 lbs	
S2404h15w-LFT	51- ¹ / ₂	15	24	92 lbs	
S2404h15w-RGT	51- ¹ / ₂	15	24	92 lbs	
S2404h18w-LFT	51- ¹ / ₂	18	24	99 lbs	
S2404h18w-RGT	51- ¹ / ₂	18	24	99 lbs	
5hB Storage Cabinets with 4 Adjustable Shelves					
STC5hB15w-LFT	67- ³ / ₈	15	18	93 lbs	
STC5hB15w-RGT	67- ³ / ₈	15	18	93 lbs	
STC5hB18w-LFT	67- ³ / ₈	18	18	100 lbs	
STC5hB18w-RGT	67- ³ / ₈	18	18	100 lbs	
S245hB15w-LFT	67- ³ / ₈	15	24	102 lbs	
S245hB15w-RGT	67- ³ / ₈	15	24	102 lbs	
S245hB18w-LFT	67- ³ / ₈	18	24	109 lbs	
S245hB18w-RGT	67- ³ / ₈	18	24	109 lbs	

Single-Door Storage Cabinets with Coat Rod

- Includes one adjustable shelf with an attached coat rod
- RGT and LFT designate the hinge side.



XSTC04h18w-RGT

Product No.	H	W	D	Pkg Wt	
4-High Storage Cabinets with (1) Adjustable Shelf and Coat Rod					
XSTC04h15w-LFT	51- ¹ / ₂	15	18	77 lbs	
XSTC04h15w-RGT	51- ¹ / ₂	15	18	77 lbs	
XSTC04h18w-LFT	51- ¹ / ₂	18	18	84 lbs	
XSTC04h18w-RGT	51- ¹ / ₂	18	18	84 lbs	
XS2404h15w-LFT	51- ¹ / ₂	15	24	86 lbs	
XS2404h15w-RGT	51- ¹ / ₂	15	24	86 lbs	
XS2404h18w-LFT	51- ¹ / ₂	18	24	93 lbs	
XS2404h18w-RGT	51- ¹ / ₂	18	24	93 lbs	
5hB Storage Cabinets with (1) Adjustable Shelf and Coat Rod					
XSTC5hB15w-LFT	67- ³ / ₈	15	18	86 lbs	
XSTC5hB15w-RGT	67- ³ / ₈	15	18	86 lbs	
XSTC5hB18w-LFT	67- ³ / ₈	18	18	93 lbs	
XSTC5hB18w-RGT	67- ³ / ₈	18	18	93 lbs	
XS245hB15w-LFT	67- ³ / ₈	15	24	95 lbs	
XS245hB15w-RGT	67- ³ / ₈	15	24	95 lbs	
XS245hB18w-LFT	67- ³ / ₈	18	24	102 lbs	
XS245hB18w-RGT	67- ³ / ₈	18	24	102 lbs	

VERTICAL FILES



Product No.	No. of Drawers	H	W	D	Pkg Wt	
15w Vertical Files for Letter-Width Hanging Files						
VFL02h15w-2F	2	27- ¹ / ₂	15	28	89 lbs	
VFL03h15w-3F	3	39- ¹ / ₂	15	28	111 lbs	
VFL04h15w-4F	4	51- ¹ / ₂	15	28	142 lbs	
VFL05h15w-5F	5	63- ¹ / ₂	15	28	173 lbs	
18w Vertical Files for Legal-Width Hanging Files						
VFL02h18w-2F	2	27- ¹ / ₂	18	28	95 lbs	
VFL03h18w-3F	3	39- ¹ / ₂	18	28	120 lbs	
VFL04h18w-4F	4	51- ¹ / ₂	18	28	150 lbs	
VFL05h18w-5F	5	63- ¹ / ₂	18	28	185 lbs	

- Ball-bearing drawer slides with quick disconnect and anti-rebound features
- Safety interlock system allows only one drawer to be opened at a time
- Counterweight for added stability (included as standard)
- Leveling glides with 1” adjustability
- Cabinets meet or exceed ANSI-BIFMA standards for safety and reliability
- Note: Metal Arc’s 3h, 4h and 5h vertical files are constructed like tall pedestal files. Unlike some traditional vertical files, they do not include thumb latches or file compressors.



5-High 15w
(63-¹/₂” tall)

4-High 15w
(51-¹/₂” tall)

3-High 15w
(39-¹/₂” tall)

2-High 15w
(27-¹/₂” tall)

TOWERS

QUALITY STANDARD FEATURES

- Shelves adjustable in ½” increments
- Leveling glides with 1” adjustability
- Concealed hinges with easy-adjustment capability
- Cabinets meet or exceed ANSI-BIFMA standards for safety and reliability

VERSATILITY

- Several standard heights and widths
- Freestanding and mobile versions

OPTIONAL ACCESSORIES

- All standard pedestal file accessories
- Magnetic shelf dividers (see bookcase accessories)
- Work surface support bracket



WBT04h-RGT-FF

Bookcase Towers

- RGT and LFT designate the bookcase facing direction



BTW04h15w-RGT-BBF

Product No.	H	W	D	Pkg Wt	
49.5" High Bookcase Towers (one adjustable shelf)					
BTW49.5h15w-LFT-BBF	49- ¹ / ₂	15	24	100 lbs	
BTW49.5h15w-LFT-FF	49- ¹ / ₂	15	24	95 lbs	
BTW49.5h15w-RGT-BBF	49- ¹ / ₂	15	24	100 lbs	
BTW49.5h15w-RGT-FF	49- ¹ / ₂	15	24	95 lbs	
4-High Bookcase Towers (one adjustable shelf)					
BTW04h15w-LFT-BBF	51- ¹ / ₂	15	24	100 lbs	
BTW04h15w-LFT-FF	51- ¹ / ₂	15	24	95 lbs	
BTW04h15w-RGT-BBF	51- ¹ / ₂	15	24	100 lbs	
BTW04h15w-RGT-FF	51- ¹ / ₂	15	24	95 lbs	
5-High Bookcase Towers (two adjustable shelves)					
BTW05h15w-LFT-BBF	63- ¹ / ₂	15	24	105 lbs	
BTW05h15w-LFT-FF	63- ¹ / ₂	15	24	100 lbs	
BTW05h15w-RGT-BBF	63- ¹ / ₂	15	24	105 lbs	
BTW05h15w-RGT-FF	63- ¹ / ₂	15	24	100 lbs	

Cupboard Towers

- RGT and LFT designate the hinge location for the cupboard door
- Cabinet includes two locks, keyed alike



CTW04h15w-RGT-BBF

Product No.	H	W	D	Pkg Wt	
3-High Cupboard Towers (no adjustable shelves)					
CTW03h15w-LFT-BBF	39- ¹ / ₂	15	24	100 lbs	
CTW03h15w-LFT-FF	39- ¹ / ₂	15	24	95 lbs	
CTW03h15w-RGT-BBF	39- ¹ / ₂	15	24	100 lbs	
CTW03h15w-RGT-FF	39- ¹ / ₂	15	24	95 lbs	
49.5" High Cupboard Towers (one adjustable shelf)					
CTW49.5h15w-LFT-BBF	49- ¹ / ₂	15	24	110 lbs	
CTW49.5h15w-LFT-FF	49- ¹ / ₂	15	24	105 lbs	
CTW49.5h15w-RGT-BBF	49- ¹ / ₂	15	24	110 lbs	
CTW49.5h15w-RGT-FF	49- ¹ / ₂	15	24	105 lbs	
4-High Cupboard Towers (one adjustable shelf)					
CTW04h15w-LFT-BBF	51- ¹ / ₂	15	24	110 lbs	
CTW04h15w-LFT-FF	51- ¹ / ₂	15	24	105 lbs	
CTW04h15w-RGT-BBF	51- ¹ / ₂	15	24	110 lbs	
CTW04h15w-RGT-FF	51- ¹ / ₂	15	24	105 lbs	
5-High Cupboard Towers (two adjustable shelves)					
CTW05h15w-LFT-BBF	63- ¹ / ₂	15	24	115 lbs	
CTW05h15w-LFT-FF	63- ¹ / ₂	15	24	110 lbs	
CTW05h15w-RGT-BBF	63- ¹ / ₂	15	24	115 lbs	
CTW05h15w-RGT-FF	63- ¹ / ₂	15	24	110 lbs	

Wardrobe-Bookcase Towers

- RGT and LFT designate the side of the cabinet with the coat closet (wardrobe)
- Cabinet includes two locks, keyed alike



WBT05h-LFT-BBF

Product No.	H	W	D	Pkg Wt	
49.5" High Wardrobe-Bookcase Towers (one adjustable shelf)					
WBT49.5h-LFT-BBF	49-1/2	24	24	160 lbs	
WBT49.5h-LFT-FF	49-1/2	24	24	155 lbs	
WBT49.5h-RGT-BBF	49-1/2	24	24	160 lbs	
WBT49.5h-RGT-FF	49-1/2	24	24	155 lbs	
4-High Wardrobe-Bookcase Towers (one adjustable shelf)					
WBT04h-LFT-BBF	51-1/2	24	24	160 lbs	
WBT04h-LFT-FF	51-1/2	24	24	155 lbs	
WBT04h-RGT-BBF	51-1/2	24	24	160 lbs	
WBT04h-RGT-FF	51-1/2	24	24	155 lbs	
5-High Wardrobe-Bookcase Towers (two adjustable shelves)					
WBT05h-LFT-BBF	63-1/2	24	24	175 lbs	
WBT05h-LFT-FF	63-1/2	24	24	170 lbs	
WBT05h-RGT-BBF	63-1/2	24	24	175 lbs	
WBT05h-RGT-FF	63-1/2	24	24	170 lbs	

Wardrobe-Cupboard Towers

- RGT and LFT designate the side of the cabinet with the coat closet (wardrobe)
- Cabinet includes three locks, keyed alike



WCT05h-RGT-FF

Product No.	H	W	D	Pkg Wt	
3-High Wardrobe-Cupboard Towers (no adjustable shelves)					
WCT03h-LFT-BBF	39-1/2	24	24	155 lbs	
WCT03h-LFT-FF	39-1/2	24	24	150 lbs	
WCT03h-RGT-BBF	39-1/2	24	24	155 lbs	
WCT03h-RGT-FF	39-1/2	24	24	150 lbs	
49.5" High Wardrobe-Cupboard Towers (one adjustable cupboard shelf)					
WCT49.5h-LFT-BBF	49-1/2	24	24	170 lbs	
WCT49.5h-LFT-FF	49-1/2	24	24	165 lbs	
WCT49.5h-RGT-BBF	49-1/2	24	24	170 lbs	
WCT49.5h-RGT-FF	49-1/2	24	24	165 lbs	
4-High Wardrobe-Cupboard Towers (one adjustable cupboard shelf)					
WCT04h-LFT-BBF	51-1/2	24	24	170 lbs	
WCT04h-LFT-FF	51-1/2	24	24	165 lbs	
WCT04h-RGT-BBF	51-1/2	24	24	170 lbs	
WCT04h-RGT-FF	51-1/2	24	24	165 lbs	
5-High Wardrobe-Cupboard Towers (two adjustable cupboard shelves)					
WCT05h-LFT-BBF	63-1/2	24	24	185 lbs	
WCT05h-LFT-FF	63-1/2	24	24	180 lbs	
WCT05h-RGT-BBF	63-1/2	24	24	185 lbs	
WCT05h-RGT-FF	63-1/2	24	24	180 lbs	

Mobile Wardrobe-Cupboard Towers

- 60 mm black plastic casters - 2 locking, 2 non-locking (casters ship detached)
- RGT and LFT designate the side of the cabinet with the coat closet (wardrobe)
- Cabinet includes three locks, keyed alike



WCTM04h-RGT-BBF

Product No.	H	W	D	Pkg Wt	
3-High Mobile Wardrobe-Cupboard Towers (no adjustable cupboard shelf)					
WCTM03h-LFT-BBF	43 ₂	24	24	165 lbs	
WCTM03h-LFT-FF	43	24	24	160 lbs	
WCTM03h-RGT-BBF	43	24	24	165 lbs	
WCTM03h-RGT-FF	43	24	24	160 lbs	
4-High Mobile Wardrobe-Cupboard Towers (one adjustable cupboard shelf)					
WCTM04h-LFT-BBF	55	24	24	180 lbs	
WCTM04h-LFT-FF	55	24	24	175 lbs	
WCTM04h-RGT-BBF	55	24	24	180 lbs	
WCTM04h-RGT-FF	55	24	24	175 lbs	

Tower Accessory - Work Surface Support Bracket

- For use with any BTW, CTW, WBT, WCT, or single-door wardrobe tower
- Includes self-tapping screws for field installation to a tower (screws for attaching the work surface are not included)
- Specify paint color when ordering

Product No.	
TOWER WS SPPT BKT	



Single-Door Wardrobe Towers

- Includes one fixed shelf at the top with a coat rod below (42h and 46h wardrobes have a coat rod only)
- Adjustable shelves can be ordered separately – see below.
- RGT and LFT designate the hinge side.
- Single-door wardrobes are not designed for freestanding use and must be secured from tipping.
- Special-order items – extended lead time
- Special 18” and 30” depths also available – email sales@metalarcinc.com for information. Minimum order quantities may apply.
- Note: 4-high single-door wardrobe towers feature a slim top that does not align with the standard top used on 4-high lateral files or storage cabinets. Also, the height of a 5-high single-door wardrobe tower is shorter than that of a standard 5hB lateral file or storage cabinet.



W04h9w24d-LFT

Product No.	H	W	D	Pkg Wt	
42” Single-Door Wardrobes (coat rod only; no shelf)					
W42h9w24d-LFT	42	9	24	91 lbs.	
W42h9w24d-RGT	42	9	24	91 lbs.	
W42h12w24d-LFT	42	12	24	96 lbs.	
W42h12w24d-RGT	42	12	24	96 lbs.	
46” Single-Door Wardrobes (coat rod only; no shelf)					
W46h9w24d-LFT	46	9	24	95 lbs.	
W46h9w24d-RGT	46	9	24	95 lbs.	
W46h12w24d-LFT	46	12	24	100 lbs.	
W46h12w24d-RGT	46	12	24	100 lbs.	
49.5” Single-Door Wardrobes (fixed shelf with coat rod below)					
W49.5h9w24d-LFT	49-1/2	9	24	95 lbs.	
W49.5h9w24d-RGT	49-1/2	9	24	95 lbs.	
W49.5h12w24d-LFT	49-1/2	12	24	100 lbs.	
W49.5h12w24d-RGT	49-1/2	12	24	100 lbs.	
4-High Single-Door Wardrobes (fixed shelf with coat rod below)					
W04h9w24d-LFT	51-1/2	9	24	98 lbs.	
W04h9w24d-RGT	51-1/2	9	24	98 lbs.	
W04h12w24d-LFT	51-1/2	12	24	103 lbs.	
W04h12w24d-RGT	51-1/2	12	24	103 lbs.	
5-High Single-Door Wardrobes (fixed shelf with coat rod below)					
W05h9w24d-LFT	63-1/2	9	24	108 lbs.	
W05h9w24d-RGT	63-1/2	9	24	108 lbs.	
W05h12w24d-LFT	63-1/2	12	24	113 lbs.	
W05h12w24d-RGT	63-1/2	12	24	113 lbs.	

Additional Shelves*

Product No.	Pkg Wt	
W SHELF 9w24d	4 lbs.	
W SHELF 12w24d	4 lbs.	

* All 9w and 12w wardrobes have shelf clip locations for two adjustable shelves, regardless of height. Taller wardrobes (49.5h, 4h and 5h) also have a fixed shelf on top that comes standard with the cabinets.

LOCKERS

- Leveling glides with 1” adjustability
- Concealed hinges with easy-adjustment capability
- Full Pulls are standard on all locker doors.
- Optional perforated doors – see below
- Choice of standard cam locks or electronic locks (see below)
- Optional hasp locks




Electronic Locks for Lockers

- Brushed silver finish
- User, Supervisor, and Master access level codes
- Default “station mode” setting for repeat use by a single user
- Optional “locker mode” setting for one-time access (such as in clubs or hotels)
- Powered by a replaceable CR-2032 lithium-ion battery
- Optional “User” and “Supervisor” key fobs available – call for details



Full Height Doors – Single-Wide




LKR64H12W18D-1-RGT

Product No.	H	W	D	Pkg Wt	
Standard Locks					
LKR64H12W18D-1-LFT	64	12	18		
LKR64H12W18D-1-RGT	64	12	18		
LKR64H15W18D-1-LFT	64	15	18		
LKR64H15W18D-1-RGT	64	15	18		
Electronic Locks					
E-LKR64H12W18D-1-LFT	64	12	18		
E-LKR64H12W18D-1-RGT	64	12	18		
E-LKR64H15W18D-1-LFT	64	15	18		
E-LKR64H15W18D-1-RGT	64	15	18		

- Includes shelf and two coat hooks per compartment
- LFT and RGT denote hinge side

Full Height Doors – Double-Wide




LKR64H24W18D-11-LFT

Product No.	H	W	D	Pkg Wt	
Standard Locks					
LKR64H24W18D-11-LFT	64	24	18		
LKR64H24W18D-11-RGT	64	24	18		
LKR64H30W18D-11-LFT	64	30	18		
LKR64H30W18D-11-RGT	64	30	18		
Electronic Locks					
E-LKR64H24W18D-11-LFT	64	24	18		
E-LKR64H24W18D-11-RGT	64	24	18		
E-LKR64H30W18D-11-LFT	64	30	18		
E-LKR64H30W18D-11-RGT	64	30	18		

- Includes shelf and two coat hooks per compartment
- LFT and RGT denote hinge side

Half Height Doors – Single-Wide




LKR64H12W18D-2-LFT

Product No.	H	W	D	Pkg Wt	
Standard Locks					
LKR64H12W18D-2-LFT	64	12	18		
LKR64H12W18D-2-RGT	64	12	18		
LKR64H15W18D-2-LFT	64	15	18		
LKR64H15W18D-2-RGT	64	15	18		
Electronic Locks					
E-LKR64H12W18D-2-LFT	64	12	18		
E-LKR64H12W18D-2-RGT	64	12	18		
E-LKR64H15W18D-2-LFT	64	15	18		
E-LKR64H15W18D-2-RGT	64	15	18		

- Includes two coat hooks per compartment
- LFT and RGT denote hinge side

Half Height Doors – Double-Wide




LKR64H24W18D-22-LFT

Product No.	H	W	D	Pkg Wt	
Standard Locks					
LKR64H24W18D-22-LFT	64	24	18		
LKR64H24W18D-22-RGT	64	24	18		
LKR64H30W18D-22-LFT	64	30	18		
LKR64H30W18D-22-RGT	64	30	18		
Electronic Locks					
E-LKR64H24W18D-22-LFT	64	24	18		
E-LKR64H24W18D-22-RGT	64	24	18		
E-LKR64H30W18D-22-LFT	64	30	18		
E-LKR64H30W18D-22-RGT	64	30	18		

- Includes two coat hooks per compartment
- LFT and RGT denote hinge side

Cubby Height Doors – Single-Wide




LKR64H12W18D-4-RGT

Product No.	H	W	D	Pkg Wt	
Standard Locks					
LKR64H12W18D-4-LFT	64	12	18		
LKR64H12W18D-4-RGT	64	12	18		
LKR64H15W18D-4-LFT	64	15	18		
LKR64H15W18D-4-RGT	64	15	18		
Electronic Locks					
E-LKR64H12W18D-4-LFT	64	12	18		
E-LKR64H12W18D-4-RGT	64	12	18		
E-LKR64H15W18D-4-LFT	64	15	18		
E-LKR64H15W18D-4-RGT	64	15	18		

- LFT and RGT denote hinge side

Cubby Height Doors – Double-Wide



LKR64H24W18D-44-LFT

Product No.	H	W	D	Pkg Wt	
Standard Locks					
LKR64H24W18D-44-LFT	64	24	18		
LKR64H24W18D-44-RGT	64	24	18		
LKR64H30W18D-44-LFT	64	30	18		
LKR64H30W18D-44-RGT	64	30	18		
Electronic Locks					
E-LKR64H24W18D-44-LFT	64	24	18		
E-LKR64H24W18D-44-RGT	64	24	18		
E-LKR64H30W18D-44-LFT	64	30	18		
E-LKR64H30W18D-44-RGT	64	30	18		

- LFT and RGT denote hinge side

OVERHEAD STORAGE CABINETS & SHELVES

QUALITY STANDARD FEATURES

- Heavy-gauge side and bottom panels for extra support and security
- Overhead cabinets feature a door that flips up and recedes over the top of the cabinet, revealing a fixed shelf with 12- $\frac{3}{4}$ " of clearance
- Flipper doors feature ball-bearing slides for years of smooth, hassle-free operation
- Cabinets meet or exceed ANSI-BIFMA standards for safety and reliability

VERSATILITY

- Seven standard widths
- Compatibility with several industry-standard panel systems

OPTIONAL ACCESSORIES

- Magnetic shelf dividers (see bookcase accessories)

* Note: All overhead storage cabinets and shelves ship knocked down and include assembly instructions.



Overhead Storage Cabinets



Product No.	H	W	D	Pkg Wt	
OHS24w-[end panel type]	15	24	13-1/2	33 lbs	
OHS30w-[end panel type]	15	30	13-1/2	36 lbs	
OHS36w-[end panel type]	15	36	13-1/2	41 lbs	
OHS42w-[end panel type]	15	42	13-1/2	43 lbs	
OHS48w-[end panel type]	15	48	13-1/2	48 lbs	
OHS54w-[end panel type]	15	54	13-1/2	51 lbs	
OHS60w-[end panel type]	15	60	13-1/2	55 lbs	

Specify End Panel Choice When Ordering:

- WMT = Wall Mounted (includes wall bracket and mounting hardware)
- HMA = Herman Miller Action Office™
- HWU = Haworth Unigroup™
- SCA = Steelcase Avenir™
- ANS = Steelcase Answer™
- PRE = Haworth Premise™
- DIV = Knoll Dividends™
- MOR = Knoll Morrison™

Half-Height Overhead Shelves



Product No.	H	W	D	Pkg Wt	
HHS24w-[end panel type]	7	24	13-1/2	21 lbs	
HHS30w-[end panel type]	7	30	13-1/2	22 lbs	
HHS36w-[end panel type]	7	36	13-1/2	24 lbs	
HHS42w-[end panel type]	7	42	13-1/2	26 lbs	
HHS48w-[end panel type]	7	48	13-1/2	30 lbs	
HHS54w-[end panel type]	7	54	13-1/2	31 lbs	
HHS60w-[end panel type]	7	60	13-1/2	32 lbs	

Specify End Panel Choice When Ordering:

- HMA = Herman Miller Action Office™
- HWU = Haworth Unigroup™
- SCA = Steelcase Avenir™
- ANS = Steelcase Answer™
- PRE = Haworth Premise™
- DIV = Knoll Dividends™
- MOR = Knoll Morrison™

CENTER DRAWERS

Metal Center Drawer

Product No.	H	W	D	Pkg Wt	
CENDRWMTL	2-7/8	19-1/8	17-1/8	14 lbs	

- All steel construction
- Mounts to underside of work surface
- Full-extension, ball-bearing drawer slides with quick disconnect and anti-rebound features
- Choice of numerous paint colors
- Choice of several lock styles



Plastic Center Drawer

Product No.	H	W	D	Pkg Wt	
CENDRKV75	2	21-1/2	16	8 lbs	


- Economical drawer made of black plastic
- Mounts to underside of work surface
- 3/4-extension, ball bearing drawer slides
- Non-locking



Mini Plastic Center Drawer

- Black plastic drawer with removable tray
- Shallow depth will not interfere with hat channel supports
- Interior dimensions of 11-1/2" wide x 6-1/2" deep x 2" high
- Exterior dimensions of 15" wide x 8-1/4" deep x 2-1/4" high


Product No.	
HATA-CDM-BLK	




SITTING-HEIGHT TABLE LEGS

Post Legs - Standard

- 2” square vertical tube
- 5-3/4” x 5-3/4” top plate




Product No.	Description	H	
POST LEG 2SQ 27H	Leveling glide	27-3/4	
MB POST LEG 2SQ 27H	60 mm locking caster	27-3/4	




Post Legs - Corner

- 2” square vertical tube
- 5-3/4” x 5-3/4” top plate





Product No.	Description	H	
POST LEG <u>CRN</u> 2SQ 27H	Leveling glide	27-3/4	
MB POST LEG <u>CRN</u> 2SQ 27H	60 mm locking caster	27-3/4	



T-Legs

- 2” square vertical tube
- 3” x 1” rectangular tube foot
- Leveling glides
- 5-³/₄” x 5-³/₄” top plate



Product No.	Description	H	D	
T-LEG27H15D	T-Leg for 18d surfaces	27- ³ / ₄	15	
T-LEG27H21D	T-Leg for 24d surfaces	27- ³ / ₄	21	
T-LEG27H27D	T-Leg for 30d surfaces	27- ³ / ₄	27	



T-Legs - Mobile

- 60 mm casters (1 locking)



Product No.	Description	H	D	
MBT-LEG27H15D	Mobile T-Leg for 18d surfaces	27- ³ / ₄	15	
MBT-LEG27H21D	Mobile T-Leg for 24d surfaces	27- ³ / ₄	21	
MBT-LEG27H27D	Mobile T-Leg for 30d surfaces	27- ³ / ₄	27	



C-Legs

- 2” square vertical tube
- 3” x 1” rectangular tube foot
- Leveling glides
- 5-3/4” x 5-3/4” top plate



Product No.	Description	H	D	
C-LEG27H15D	C-Leg for 18d surfaces	27-3/4	15	
C-LEG27H21D	C-Leg for 24d surfaces	27-3/4	21	
C-LEG27H27D	C-Leg for 30d surfaces	27-3/4	27	



C-Legs - Mobile


- 60 mm casters (1 locking)

Product No.	Description	H	D	
MBC-LEG27H15D	Mobile C-Leg for 18d surfaces	27-3/4	15	
MBC-LEG27H21D	Mobile C-Leg for 24d surfaces	27-3/4	21	
MBC-LEG27H27D	Mobile C-Leg for 30d surfaces	27-3/4	27	




H-Legs

- 2" square tubes
- Leveling glides
- 5^{-3/4}" x 5^{-3/4}" top plate



Product No.	Description*	H	D*	
H-LEG27H17D	H-Leg - min surface depth 22d	27 ^{-3/4}	17 (21)	
H-LEG27H23D	H-Leg - min surface depth 26d	27 ^{-3/4}	23 (27)	
H-LEG27H29D	H-Leg - min surface depth 32d	27 ^{-3/4}	29 (33)	
H-LEG27H35D	H-Leg - min surface depth 38d	27 ^{-3/4}	35 (39)	




* **Note Regarding H-Leg Depths and Work Surfaces:** The H-Leg depths shown above are based on the outside edges of the vertical tubes. The top plates are centered on the tubes and thus add approximately 4" to the overall depths. For example, an H-LEG27H17D has an overall depth of 17" based on the outside edges of the vertical tube, but that depth grows to just under 21" when measured from the outside edges of the two top plates. For this reason, the depth of the work surface must be at least 4" greater than the nominal width of the chosen H-Leg. For example, an H-LEG27H17D must be used with a work surface that is at least 21" deep.


O-Legs

- 2" square tubes
- Leveling glides
- 5-³/₄" x 5-¹/₈" top plates


Product No.	Description*	H	D	
O-LEG27H17D	O-Leg for 18d or 24d surfaces	27- ³ / ₄	17	
O-LEG27H23D	O-Leg for 24d or 30d surfaces	27- ³ / ₄	23	
O-LEG27H29D	O-Leg for 30d or 36d surfaces	27- ³ / ₄	29	
O-LEG27H35D	O-Leg for 36d or 42d surfaces	27- ³ / ₄	35	



NOTE: O-Legs must be inset from the ends of a work surface by a minimum of ³/₄" to allow for attachment of the top plates.



O-LEG27H29D with 30" deep work surface




O-LEG27H23D with 30" deep work surface


* **Note Regarding Leg and Work Surface Depths:** Depending on the desired appearance, a particular O-Leg may be used for two different work surface depths, as noted in the description. The appearance difference is illustrated in the line drawings above.

U-Legs


- 2" square tubes
- Leveling glides
- 5-³/₄" x 5-¹/₈" top plates



Product No.	Description*	H	D	
U-LEG27H17D	U-Leg for 18d or 24d surfaces	27- ³ / ₄	17	
U-LEG27H23D	U-Leg for 24d or 30d surfaces	27- ³ / ₄	23	
U-LEG27H29D	U-Leg for 30d or 36d surfaces	27- ³ / ₄	29	
U-LEG27H35D	U-Leg for 36d or 42d surfaces	27- ³ / ₄	35	



U-LEG27H29D with 30" deep work surface




U-LEG27H23D with 30" deep work surface

NOTE: U-Legs must be inset from the ends of a work surface by a minimum of ³/₄" to allow for attachment of the top plates.


* **Note Regarding Leg and Work Surface Depths:** Depending on the desired appearance, a particular U-Leg may be used for two different work surface depths, as noted in the description. The appearance difference is illustrated in the line drawings above.

A-Legs


- 2" square tubes
- Leveling glides
- 5^{-3/4}" x 5^{-1/8}" top plates



Product No.	Description*	H	D	
A-LEG27H17D	A-Leg for 18d or 24d surfaces	27 ^{-3/4}	17	
A-LEG27H23D	A-Leg for 24d or 30d surfaces	27 ^{-3/4}	23	
A-LEG27H29D	A-Leg for 30d or 36d surfaces	27 ^{-3/4}	29	
A-LEG27H35D	A-Leg for 36d or 42d surfaces	27 ^{-3/4}	35	



A-LEG27H29D with 30" deep work surface



A-LEG27H23D with 30" deep work surface


NOTE: A-Legs must be inset from the ends of a work surface by a minimum of 3/4" to allow for attachment of the top plates.

* **Note Regarding Leg and Work Surface Depths:** Depending on the desired appearance, a particular A-Leg may be used for two different work surface depths, as noted in the description. The appearance difference is illustrated in the line drawings above.

STANDING-HEIGHT TABLE LEGS


Post Legs, H-Legs, O-Legs, U-Legs and A-Legs may also be ordered in a standing-height of 39.5". These extended-height legs may be used with any standard 3-high Metal Arc lateral file, storage cabinet, or bookcase to create a standing-height work area.

Post Leg – Standard




Product No.	H	
POST LEG 2SQ 39H	39-1/2	

Post Leg – Corner




Product No.	H	
POST LEG CRN 2SQ 39H	39-1/2	

H-Legs




Product No.	Description	H	D	
H-LEG39H17D	H-Leg - min surface depth 22d	39-1/2	17 (21)	
H-LEG39H23D	H-Leg - min surface depth 26d	39-1/2	23 (27)	
H-LEG39H29D	H-Leg - min surface depth 32d	39-1/2	29 (33)	
H-LEG39H35D	H-Leg - min surface depth 38d	39-1/2	35 (39)	

O-Legs




Product No.	Description	H	D	
O-LEG39H17D	O-Leg for 18d or 24d surfaces	39-1/2	17	
O-LEG39H23D	O-Leg for 24d or 30d surfaces	39-1/2	23	
O-LEG39H29D	O-Leg for 30d or 36d surfaces	39-1/2	29	
O-LEG39H35D	O-Leg for 36d or 42d surfaces	39-1/2	35	

U-Legs



Product No.	Description	H	D	
U-LEG39H17D	U-Leg for 18d or 24d surfaces	39- ¹ / ₂	17	
U-LEG39H23D	U-Leg for 24d or 30d surfaces	39- ¹ / ₂	23	
U-LEG39H29D	U-Leg for 30d or 36d surfaces	39- ¹ / ₂	29	
U-LEG39H35D	U-Leg for 36d or 42d surfaces	39- ¹ / ₂	35	

A-Legs





Product No.	Description	H	D	
A-LEG39H17D	A-Leg for 18d or 24d surfaces	39- ¹ / ₂	17	
A-LEG39H23D	A-Leg for 24d or 30d surfaces	39- ¹ / ₂	23	
A-LEG39H29D	A-Leg for 30d or 36d surfaces	39- ¹ / ₂	29	
A-LEG39H35D	A-Leg for 36d or 42d surfaces	39- ¹ / ₂	35	



MODESTY PANELS FOR TABLE LEGS



Standard Modesty Panels

Product No.	Description	H	W	
MOD30	Modesty Panel for 36w 2-Leg Desk or 1 Leg/1Ped 48w Desk	13- ¹ / ₂	29- ³ / ₄	
MOD36	Modesty Panel for 42w 2-Leg Desk or 1 Leg/1Ped 54w Desk	13- ¹ / ₂	35- ³ / ₄	
MOD42	Modesty Panel for 48w 2-Leg Desk or 1 Leg/1Ped 60w Desk	13- ¹ / ₂	41- ³ / ₄	
MOD48	Modesty Panel for 54w 2-Leg Desk or 1 Leg/1Ped 66w Desk	13- ¹ / ₂	47- ³ / ₄	
MOD54	Modesty Panel for 60w 2-Leg Desk or 1 Leg/1Ped 72w Desk	13- ¹ / ₂	53- ³ / ₄	
MOD60	Modesty Panel for 66w 2-Leg Desk	13- ¹ / ₂	59- ³ / ₄	
MOD66	Modesty Panel for 72w 2-Leg Desk	13- ¹ / ₂	65- ³ / ₄	




Product No.	Description	H	D	
MOD END FULL 17	Full-height modesty panel for 17d O-Leg or U-Leg	22- ¹⁵ / ₁₆	13	
MOD END FULL 23	Full-height modesty panel for 23d O-Leg or U-Leg	22- ¹⁵ / ₁₆	19	
MOD END FULL 29	Full-height modesty panel for 29d O-Leg or U-Leg	22- ¹⁵ / ₁₆	25	
MOD END FULL 35	Full-height modesty panel for 35d O-Leg or U-Leg	22- ¹⁵ / ₁₆	31	

MOD END HALF 17	Half-height modesty panel for 17d O-Leg or U-Leg	11- ⁵ / ₁₆	13	
MOD END HALF 23	Half-height modesty panel for 23d O-Leg or U-Leg	11- ⁵ / ₁₆	19	
MOD END HALF 29	Half-height modesty panel for 29d O-Leg or U-Leg	11- ⁵ / ₁₆	25	
MOD END HALF 35	Half-height modesty panel for 35d O-Leg or U-Leg	11- ⁵ / ₁₆	31	




Perforated Modesty Panels

Product No.	Description	H	W	
MOD30 PERF	Modesty Panel for 36w 2-Leg Desk or 1 Leg/1Ped 48w Desk	13- ¹ / ₂	29- ³ / ₄	
MOD36 PERF	Modesty Panel for 42w 2-Leg Desk or 1 Leg/1Ped 54w Desk	13- ¹ / ₂	35- ³ / ₄	
MOD42 PERF	Modesty Panel for 48w 2-Leg Desk or 1 Leg/1Ped 60w Desk	13- ¹ / ₂	41- ³ / ₄	
MOD48 PERF	Modesty Panel for 54w 2-Leg Desk or 1 Leg/1Ped 66w Desk	13- ¹ / ₂	47- ³ / ₄	
MOD54 PERF	Modesty Panel for 60w 2-Leg Desk or 1 Leg/1Ped 72w Desk	13- ¹ / ₂	53- ³ / ₄	
MOD60 PERF	Modesty Panel for 66w 2-Leg Desk	13- ¹ / ₂	59- ³ / ₄	
MOD66 PERF	Modesty Panel for 72w 2-Leg Desk	13- ¹ / ₂	65- ³ / ₄	




MOD54 PERF with (2) O-LEG27H29D




MOD42 PERF with (1) O-LEG27H29D & (1) Ped

Product No.	Description	H	D	
MOD END FULL 17 PERF	Full-height modesty panel for 17d O-Leg or U-Leg	22- ¹⁵ / ₁₆	13	
MOD END FULL 23 PERF	Full-height modesty panel for 23d O-Leg or U-Leg	22- ¹⁵ / ₁₆	19	
MOD END FULL 29 PERF	Full-height modesty panel for 29d O-Leg or U-Leg	22- ¹⁵ / ₁₆	25	
MOD END FULL 35 PERF	Full-height modesty panel for 35d O-Leg or U-Leg	22- ¹⁵ / ₁₆	31	

MOD END HALF 17 PERF	Half-height modesty panel for 17d O-Leg or U-Leg	11- ⁵ / ₁₆	13	
MOD END HALF 23 PERF	Half-height modesty panel for 23d O-Leg or U-Leg	11- ⁵ / ₁₆	19	
MOD END HALF 29 PERF	Half-height modesty panel for 29d O-Leg or U-Leg	11- ⁵ / ₁₆	25	
MOD END HALF 35 PERF	Half-height modesty panel for 35d O-Leg or U-Leg	11- ⁵ / ₁₆	31	



(2) **MOD END FULL 29 PERF** in (2) O-LEG27H29D



(2) **MOD END HALF 29 PERF** in (2) O-LEG27H29D

Information Regarding Modesty Panel Spacing and Installation

Desks with Two Legs


When building a desk with a modesty panel and two legs, each leg will be inset from the work surface by $1\frac{1}{8}$ " on each end. Modesty panels are designed to screw directly into the desk legs using # 10 self-drilling screws (not included).



Desks with One Leg and One Work Surface Support Ped

When building a desk with a modesty panel that connects a pedestal file to a leg, the pedestal file will be inset from the end of the work surface by $\frac{1}{4}$ ". The leg will be inset from the end by 1".

From front-to-back, the leg will be inset $\frac{1}{2}$ " on each side, as shown below. The pedestal file will be set back $\frac{1}{2}$ " from the front of the work surface. Modesty panels are designed to screw directly into both the desk legs and pedestal files using # 10 self-drilling screws (not included).



HEIGHT-ADJUSTABLE TABLES

Easy Table Bases

Metal Arc's "Easy" line of table bases provides an economical solution for those seeking a basic height-adjustable table with minimal options. For simple installation, Easy tables come standard with the feet and surface supports already attached to the leg assembly.

FEATURES

- T-shaped foot with leveling glides
- Up/Down hand switch*
- Meets BIFMA X5.5 standards / UL 962 approved
- Less than 50db noise level using ISO-11201:2010 acoustics
- Dual motor
- Raise and lower speed of 1-³/₈" per second
- Power consumption of less than 0.3W (in standby mode)
- Maximum load (including work surface) of 250 pounds
- Height range of 27" to 46" (with 1-¹/₈" thick work surface)
- Base depth of 22-¹/₄" supports both 24" and 30" deep work surfaces
- Compatible with surfaces from 48" to 72" wide [Note: A Work Surface Stiffener is required for surfaces 60" and wider – see page 59 for ordering information.]
- Available in one of three powder coat paint finishes:
 - **Black** (SC Low Gloss Black - 4710)
 - **Silver** (SC Platinum Metallic - PM)
 - **White** (KB Designer White - 405)



PART NUMBERS

Product No.	Description	Box Size	Pkg Wt	
ESS2-SR-2430-T-UD-4710	Easy Base with 2 Legs, Standard Height Range – Black	27 x 24 x 13	41 lbs	
ESS2-SR-2430-T-UD-PM	Easy Base with 2 Legs, Standard Height Range – Silver	27 x 24 x 13	41 lbs	
ESS2-SR-2430-T-UD-405	Easy Base with 2 Legs, Standard Height Range – White	27 x 24 x 13	41 lbs	

* Easy bases also may be ordered with a programmable hand switch. Please contact sales@metalarcinc.com for prices, availability, and minimum order quantities.

Saw-Horse Table Bases

Saw-Horse table bases provide a stylish alternative to the traditional height-adjustable table. With its angled column and modern design, the Saw-Horse base is the perfect choice for a contemporary office environment.

FEATURES

- Built-in wire management and stiffener
- 20-degree angled column
- Four-position programmable hand switch
- Three standard colors
- Base depth of 24- $\frac{1}{2}$ " supports both 24" and 30" deep work surfaces
- Maximum load of 225 pounds (including work surface)
- Height range of 27- $\frac{1}{4}$ " – 44- $\frac{5}{8}$ " (with 1- $\frac{1}{8}$ " thick work surface)
- Compatible with surfaces from 48" – 72" wide
- Less than 50db noise level using ISO-11201:2010 acoustics
- Raise and lower speed of 1- $\frac{1}{2}$ " per second
- Power consumption of less than 0.3W (in standby mode)



SAW-HORSE BASE PART NUMBERS

Product No.	Description	Box Size	Pkg Wt	
SAW48-4710	Inverted-Y Base for 48w Tables, 27- $\frac{1}{4}$ " – 44- $\frac{5}{8}$ " Height Range, Programmable Switch - Black	40 x 12 x 8- $\frac{1}{2}$	55 lbs	
SAW48-PM	Inverted-Y Base for 48w Tables, 27- $\frac{1}{4}$ " – 44- $\frac{5}{8}$ " Height Range, Programmable Switch - Silver	40 x 12 x 8- $\frac{1}{2}$	55 lbs	
SAW48-405	Inverted-Y Base for 48w Tables, 27- $\frac{1}{4}$ " – 44- $\frac{5}{8}$ " Height Range, Programmable Switch - White	40 x 12 x 8- $\frac{1}{2}$	55 lbs	
SAW54-72-4710	Inverted-Y Base for 54w to 72w Tables, 27- $\frac{1}{4}$ " – 44- $\frac{5}{8}$ " Height Range, Programmable Switch - Black	37 x 12 x 8- $\frac{1}{2}$	60 lbs	
SAW54-72-PM	Inverted-Y Base for 54w to 72w Tables, 27- $\frac{1}{4}$ " – 44- $\frac{5}{8}$ " Height Range, Programmable Switch - Silver	37 x 12 x 8- $\frac{1}{2}$	60 lbs	
SAW54-72-405	Inverted-Y Base for 54w to 72w Tables, 27- $\frac{1}{4}$ " – 44- $\frac{5}{8}$ " Height Range, Programmable Switch - White	37 x 12 x 8- $\frac{1}{2}$	60 lbs	

MODESTY PANELS FOR HEIGHT-ADJUSTABLE TABLES

Steel modesty panels mount to the underside of a work surface to provide privacy for an end user. Steel modesty panels are 13.5" high and can be ordered in several standard paint colors to match a corresponding table base.

Please note that steel modesty panels are 2" shorter than the nominal surface width and are designed to be inset 1" on each side (e.g., a modesty panel for a 48" work surface has an actual width of 46")

Product No.	Description	
HATMOD34	Steel Modesty Panel for 36w Surfaces	
HATMOD40	Steel Modesty Panel for 42w Surfaces	
HATMOD46	Steel Modesty Panel for 48w Surfaces	
HATMOD52	Steel Modesty Panel for 54w Surfaces	
HATMOD58	Steel Modesty Panel for 60w Surfaces	
HATMOD64	Steel Modesty Panel for 66w Surfaces	
HATMOD70	Steel Modesty Panel for 72w Surfaces	




DESK ACCESSORIES

Anti-Sag Bars

Anti-sag bars provide cost-effective support for work surfaces. Anti-sag bars are painted black. Screws are not included and are the responsibility of the installer.

Product No.	Description	
ANTISAG-49	Support for 60" – 71" wide surfaces	
ANTISAG-61	Support for surfaces 72" to 84" wide	



Hat Channel Supports

Hat channels provide support for a work surface (to prevent bowing) and a cavity for holding the controller and cords. Hat channel supports are painted black.


Product No.	Box Size	Pkg Wt	
CLEHAT-39	41 x 7 x 3	8 lbs	
CLEHAT-60	62 x 7 x 3	13 lbs	



Splice Plates

Made of heavy-gauge steel, splice plates are used to join two adjacent work surfaces.



Product No.	Description	
SPLICE PLATES	Kit of <u>two</u> work surface ganging plates	



Cord Grips for Wire Management

Cord grips hold all wire sizes with ease and provide an inexpensive tool for managing the underside of a work surface. Cord grips are sold by the each or in packages of 10 pieces and come standard with attachment hardware.


Product No.	
HATA-CORDGRIP1	
HATA-CORDGRIP10	




J-Channel (Horizontal) Cord Minder

J-Channels provide a simple tool for hiding and managing cords.

- 48" long black plastic can be cut smaller in the field
- Secured with 2-sided tape (factory-installed)
- Sold individually or in cases of 50 pieces



Product No.	Description	
HATA-J48T-1	J-Channel Cord Minder, Single	
HATA-J48T-50	J-Channel Cord Minder, Case of 50	



Vertebrae (Vertical) Cord Minder

Vertebrae cord minders provide an elegant means of managing cords from a work surface to a power outlet on the floor or a wall. Each cord minder contains 50 links that can be modified to create fused, semi-flexible, or fully flexible joints. Each cord minder includes two magnetic pockets and a screw-in top connector.

Product No.	Color	
HATA-VERT-BLK	Black	
HATA-VERT-SLV	Silver	
HATA-VERT-WHT	White	



Grommets

2-3/8" (60mm) black grommets with built-in flexible tops, black or silver.

Product No.	
HATA-GROMFX-BLK	
HATA-GROMFX-SLV	




LOCKS AND KEYS

Metal Arc filing and storage products can be ordered with one of eight different core-removable lock systems. All cabinets will be built with randomly selected core & key numbers unless products are ordered “keyed-alike.” (See the next page for key-alike ordering instructions.) All locks come standard with two keys.



Name & Description:	<u>UM Black</u> Black Flat Face	<u>UM Nickel</u> Nickel Flat Face	<u>LL</u> Bright Nickel Scalloped Face	<u>SL</u> Black Scalloped Face
Ordering Code:	U	Z	L	S
Key Range:	226 to 425 (408 & 412 not available)	226 to 425 (408 & 412 not available)	226 to 325	1 to 100
Compatibility:	Herman Miller	Herman Miller	N/A	Haworth
Keyed-Alike Cores:	UMLKCORES [Qty?]	UZLKCORES [Qty?]	LLLKCORES [Qty?]	SLLKCORES [Qty?]
Core Key	UMCOREKEY	UMCOREKEY	LLCOREKEY	SLCOREKEY
Master Key:	UMMASTKEY	UMMASTKEY	LLMASTKEY	N/A



Name & Description:	<u>FR</u> Matte Nickel Flat Face	<u>K</u> Black Flat Face	<u>E</u> Nickel Chrome Scalloped Face	<u>T</u> Satin Chrome Flat Face
Ordering Code:	F	K	E	T
Key Range:	305 to 429	1 to 250	101 to 225	601 to 700
Compatibility:	Steelcase	Knoll	HON / Allsteel	Teknion
Keyed-Alike Cores:	FRLKCORES [Qty?]	KNLKCORES [Qty?]	ELKCORES [Qty?]	TKLKCORES [Qty?]
Core Key	FRCOREKEY	KNCOREKEY	ECOREKEY	TKCOREKEY
Master Key	FRMASTKEY	KNMASTKEY	EMASTKEY	TKMASTKEY

IMPORTANT: The key ranges shown above designate the range of possible key numbers. Metal Arc does not guarantee the availability of all potential key numbers within the ranges.

PULLS



Full Pull / Self-Handled (Code: S)
most popular



Arc Pull (Code: A)
satin nickel finish



Bar Pull (Code: B5)
aluminum finish



Droop Pull (Code: D)
painted to match drawer front



J Pull (Code: J)*



Aluminum Insert (Code: AI)*
extruded aluminum (unpainted)



Matching Pull (Code: M)*
painted to match drawer front



Twist Pull (Code: T)
satin nickel finish



Short Rod Pull (Code: O)
brushed nickel finish



Long Rod Pull (Code: L)
brushed nickel finish
available on lateral files only

* J Pulls, Aluminum Insert Pulls, and Matching Pulls are available only on pedestal file and lateral file drawer fronts. These pulls are not available on doors.